
## Bloom







## The backing fabric is not calculated in the fabric measurements for Bloom. Add for backing fabric an additional 1 1/2 yard

Part A: The Center Star			
	Fabric 1		s for foundation point 1: the base of the center star cut each strip into 4 pieces of 5" x 5".
Center star			
foundation point 1			
Center star	Fabric 2	Cut 1 strip of 1½" x 42"	Sub cut the strip into 8 pieces of 1½" x 5"
foundation point 2			
	Fabric 3	Cut 1 strip of 2½" x 42"	Cut 4 pieces of 2½" x 6½"
Center star			
foundation point 3			

1.1 第二级第二人	Fabric 4	Cut 1 str	ip of 2	2½" x 3	30"		Cut	4 pie	ces c	of 2½'	′ x 6½	/" 2							
								•											
Center star																			
foundation point 3																			
Part B:The Spiked Circle																			
	Fabric 6	Cut 2 str	The state of the s				ou need a total of 24 pieces												
							Sub cut the first strip into 21 pieces of 3¾" x 2" Cut from the second strip 3 pieces of 3¾" x 2"												
**************************************																			
Inside spikes of the circle																			
	Fabric 7	Cut 2 str	ips of	3¾" x	42"						<b>f 24 p</b> rip int			es of	3¾" :	x 3"			
											nd str								
聚變度																			
-XXX -XXX																			
Outside spikes of the circle																			
Part C: the circle																			
	Fabric 5	Cut from	n fabri	c 5, or	ne sin	gle pi	iece c	of 21"	' x 21	" for	the la	arge (	circle	, part	. C.				
		Use the	leftov	er fabi	ric for	the	flying	gees	se tria	angle									
										1	2	3	4	5	6	7			
The large Circle part C					Part C	the	large	circl	e	8	9	10	11	12	13	14			
										15	16	17	18	19	20	21			
										15	10	17	10	19	20				
										22	23	24	25	26	27	28			
										29	30	31	32	33	34	35			
			36	37	38	39	40	41	42	43	44	45	46	47	48				
	•						•									1			

Part D: The Corner Parts																
	Fabric 8	Before we cut the fabric for the corner parts we have to cut the fabric strips for the outside border and the binding first. For the outside border: Cut 4 strips of: 3½" by approximately 42". For the binding: Cut 4 strips: 2½" by approximately 42".  Fold fabric 8 in half: Cut the corner parts 2x to yield 4 corner parts.														
The large corner parts																
Part E: The Sashings																
First inside sashing	Fabric 6	Cut 3 strip	os of 1	½" x	42"			ch the		ps to	gethe	er. Us	e the	tem	plate	in
· · ·																
Part F, G, H & I: Flying geese																
	Fabric 5	You need a total of 48 pieces  Cut 1 strip of 4" x 42". Sub-cut 13 pieces of 3" x 4" from this strip.  Cut from the leftover fabric: 5 strips of 4" x 21".  Sub-cut each strip into 7 pieces of 3" x 4".														
Flying geese triangle										1	2	3	4	5	6	7
										8	9	10	11	12	13	14
										15	16	17	18	19	20	21
										22	23	24	25	26	27	28
										29	30	31	32	33	34	35
			36	37	38	39	40	41	42	43	44	45	46	47	48	
									1	1		]	]			<u> </u>

	Fabric 7	Cut 5 strips of 3½" x 42" Cut 1 strip of 4" x 42"	You need a total of 96 pieces Cut from 5 strips 18 pieces each of 3½" x 2½" Cut from the last strip 6 pieces of 4" x 2½" Use the leftover strip for the 4 corner stones					
Outside Flying geese								
Part J								
	Fabric 7	Use the leftover strip from the outside of the flying geese.	The cornerstones: Cut 4 pieces of 4" x 4"					
Corner stones								
Part K								
	Fabric 6	Cut 4 strips of 1½" x 42"	Use the template in the pattern					
The second								
outside sashing								
	I	1	1					
	Fabric 8	You already cut these 4 strips	Cut 4 strips: 3½" by approximately 42"					
The outside border								
	Farbric 8	You already cut these 4 strips	Cut 4 strips: 2½" by approximately 42"					

The binding